

euro_holter

High-resolution Holter system

TECHNICAL OVERVIEW



LUMED

w w w . l u m e d . c o m

*LUMED® 2012 LUMED Srl all rights reserved.
LUMED® is a registered trademark of LUMED Srl. The present document can not be copied, disclosed or distributed, entirely or partially, without the explicit authorization of LUMED Srl.
LUMED® trademark and logo and all the information contained in the present document cannot copied, disclosed or distributed, entirely or partially, without the explicit authorization of LUMED Srl. LUMED Srl reserves the right to change the information in this Operating Manual without prior notice*

Features and performance of euro_holter

LUMED euro_holter is a modern Holter system, for the complete and extended management of high-resolution recordings.

The system is compatible with the hardware listed here below:

- ✓ euro_holter 3view 3-channel recorder
- ✓ euro_holter 12view 12-channel recorder

The main features of euro_holter include:

- ✓ setup of 3- and 12-channel recordings, 24 or 48 hours long
- ✓ setup of 3-channel recordings 7 days long, with no quality loss
- ✓ Data display and automatic analysis of the recording, according to the User preferences
- ✓ To highlight strips or any relevant part of the recording
- ✓ Easy and intuitive commands and icons, with textual descriptions
- ✓ Free report composition and automatic referral
- ✓ Print preview, showing also the total amount of pages to be printed
- ✓ Data storage
- ✓ Input & Output interfaces towards external systems, like as ADT, according to the Standard GDT protocol
- ✓ PDF export
- ✓ In the workflow management recordings are handled according to the specific status: not yet analyzed, printed etc.
- ✓ Backup of older examinations
- ✓ Archive compression: the raw data are removed and only the report is kept in-line

Quality control and traceability:

- ✓ Overall recording quality is monitored and reported
- ✓ Recorders demographic with custom fields
- ✓ On-display signal check

The clinical features of euro_holter include:

- ✓ QRS detection
- ✓ Morphological analysis of QRS complexes and labeling according to the standard reference: Normal, Supraventricular, Ventricular, Paced, Artifact, Questionable
- ✓ Template analysis
- ✓ Detection and classification of Ventricular events: Ectopic Beat, Bigeminy, Trigeminy, Couple, Tachycardia, Run
- ✓ Detection and classification of Supra-ventricular events: Ectopic Beat, Bigeminy, Trigeminy, Couple, Run
- ✓ Detection and classification of other events: Bradycardia, Tachycardia, R-on-T, Pause, Asystolia
- ✓ Maximum Heart-rate, Minimum Heart-rate
- ✓ Enhanced ST analysis
- ✓ Pacemaker analysis
- ✓ Referral notes with custom phrases and terms

Further analysis tools:

- ✓ Beat Overlay Analysis
- ✓ Specific algorithm for the detection and analysis of Atrial Fibrillation and Flutter
- ✓ HRV analysis, both Time and Frequency Domain

Optional analysis tools:

- ✓ HRT Heart-Rate Turbulence
- ✓ TWA T-Wave Alternans
- ✓ DCA Heart-Rate Deceleration Capacity
- ✓ QT / QTc and Dispersion Analysis
- ✓ SAP Sleep Apnoea Analysis
- ✓ VectorCardiogram
- ✓ VLP Very Low Potential / SAEKG Analysis

Signal filtering:

- ✓ Digital linear-phase, zero-distortion filters
- ✓ 50 or 60 Hz notch filter
- ✓ EMG low-pass filter
- ✓ Anti-Drift filter for baseline wandering

Several data review methods available:

- ✓ Templates
- ✓ Event
- ✓ Strip (custom format)
- ✓ Full Disclosure (custom format)
- ✓ Progressive Zoom Trend
- ✓ RR Scatter-plot
- ✓ Whole recording trend and 1-hour trend
- ✓ Context long strip

Referral & printout

- ✓ Summary
- ✓ Hourly table
- ✓ Free-text referral
- ✓ Global trend view
- ✓ Event strip overview
- ✓ Automatic notes, user editable
- ✓ Referral notes with custom phrases and terms
- ✓ Last-minute report modification
- ✓ Print preview
- ✓ Direct printout

Languages

- ✓ Italiano
- ✓ English
- ✓ Español
- ✓ Français
- ✓ Deutsch
- ✓ Portuguese
- ✓ Polski
- ✓ Русский

Hardware & Software requirements

- ✓ Operating System: Windows XP SP3 (no Millennium, no Vista) (Windows 7 suggested)
- ✓ CPU: $\geq 1.8\text{GHz}$ (Pentium Dual core 2.93GHz suggested)
- ✓ RAM: $\geq 1\text{GB}$ (2GB DDR3 suggested)
- ✓ HDD: $\geq 10\text{GB}$ (SATA 320GB 7200 rpm suggested)
- ✓ Monitor: 1280x900 (23" 1920x1080 suggested)
- ✓ Printer: 600 dpi 2MB (laser 600 dpi, RAM $\geq 2\text{MB}$ suggested)

Available configurations for euro_holter SW3/12

	Professional	Clinical
Multi-language system	X	X
Automated work-flow management	X	X
Intuitive User-friendly Graphic User Interface	X	X
Channel per recording	2, 3 or 12	2, 3 or 12
Standard recording duration	24 or 48 hours	24 or 48 hours
Multiday recording (up to 7 days, lossless)		X
Custom data view	X	X
Whole recording storage	X	X
Manual editing of events	X	X
Digital filters: EMG, 50/60Hz & Anti-Drift	X	X
Zoom ECG	X	X
On-screen ECG Measurements	X	X
Automatic referral	X	X
Custom report, including manual events	X	X
GDT import / export channel	X	X
Shared archive	X	X
Template analysis	X	X
Rhythm analysis	X	X
Custom Event labels	X	X
Enhanced ST analysis	X	X
Detection and analysis of Pacemaker spikes	X	X
Histogram view of events	X	X
ECG full-disclosure view	X	X
Analysis of Atrial Fibrillation and Flutter	X	X
Time-domain HRV	X	X
Frequency-domain HRV	X	X
HRT Heart-rate Turbulence		X
TWA T-Wave Alternans		X
QT/QTc and dispersion Analysis		X
SAP Sleep Apnoea Analysis		X
Vectorcardiogram		X
VLP-SAEKG		X
DC Heart-Rate Deceleration Capacity		X
Interactive report analysis	X	X
Print preview	X	X
Demographics: recorders, Doctors and Technicians	X	X
Archive backup and off-line storage	X	X
Archive sharing	X	X
Recording quality and performances monitoring	X	X



LUMED srl
P.IVA 03050700966
Via Staffora 18/9 - 20090 Opera (MI)
Tel +39 02 57606750
Fax +39 02 57606752
info@lumed.com

Sede legale: P.zza Fidia 8 - 20159 Milano
CCIAA MI266212/2000
Capitale sociale: 77.000 Euro I.V.

Magazzino e Produzione
Via Senio, 36/40 - 47100 Forlì (FC)
Tel +39 0543 702380
Fax +39 0543 702380
fidim@lumed.com